

**INDEX**  
for  
**ArcelorMittal Indiana Harbor East NPDES Permit IN0000094**

**PART I.**

A. Effluent Limitations and Monitoring Requirements.....	2
Outfalls 003 and 013.....	2
Outfall 008.....	4
Outfall 011.....	6
Outfall 014.....	9
Outfall 613.....	12
Outfall 018.....	13
Outfall 518.....	16
Outfall 618.....	17
Outfall 019.....	18
B. Narrative Water Quality Standards.....	20
C. Monitoring and Reporting.....	20
1. Representative Sampling.....	20
2. Discharge Monitoring Reports.....	20
3. Definitions.....	21
4. Test Procedures.....	24
5. Recording of Results.....	24
6. Additional Monitoring by Permittee.....	25
7. Records Retention.....	25
D. Chronic Biomonitoring Program Requirements.....	25-31
E. Storm Water Monitoring and Non Numeric Conditions.....	32-44
F. Storm Water Pollution Prevention Plan.....	44-51
G. Visible Oil Corrective Action and Monitoring Program.....	51
H. Long Term Instream Biological Monitoring.....	51
I. Reporting Requirements for Solvents, Degreasing Agents, etc.....	52
J. Sediment Monitoring.....	53
K. Groundwater Remediation Projects.....	54
L. No. 7 Blast Furnace.....	54
M. Pollutant Minimization Program.....	55
N. Schedule of Compliance for Mercury, Lead, and Zinc.....	56-59
O. Free Cyanide and Fluoride.....	59
P. Zebra and Quagga Mussel Control.....	60
Q. Dredging Project Effluent.....	61
R. No. 6 Dock.....	61
S. Lake Michigan Impoundment.....	62
T. Reopening Clauses.....	62

**PART II STANDARD CONDITIONS FOR NPDES PERMITS**

A. General Conditions	
1. Duty to Comply.....	64
2. Duty to Mitigate.....	64

3. Duty to Reapply .....	64
4. Permit Transfers.....	65
5. Permit Actions .....	65
6. Property Rights .....	66
7. Severability .....	66
8. Oil and Hazardous Substance Liability.....	67
9. State Laws.....	67
10. Penalties for Violation of Permit Conditions.....	67
11. Penalties for Tampering or Falsification.....	68
12. Toxic Pollutants.....	68
13. Wastewater treatment plant and certified operators.....	68
14. Construction Permits.....	69
15. Inspection and Entry .....	69
16. New or Increased Discharge of Pollutants.....	70
<b>B. Management Requirements</b>	
1. Proper Operation and Maintenance.....	70
2. Bypass of Treatment Facilities.....	71
3. Upset Conditions.....	72
4. Removed Substances .....	73
<b>C. Reporting Requirements</b>	
1. Planned Changes in Facility or Discharge.....	73
2. Monitoring Reports.....	74
3. Twenty-Four Hour Reporting Requirements.....	74
4. Other Noncompliance.....	75
5. Other Information.....	75
6. Signatory Requirements.....	75
7. Availability of Reports.....	77
8. Penalties for Falsifications of Reports.....	77
9. Changes in Discharges of Toxic Substances.....	77

### **PART III OTHER REQUIREMENTS**

A. Thermal Effluent Requirements.....	79
B. Biocides Concentration.....	80
C. Polychlorinated Biphenyl.....	80

### **PART IV COOLING WATER INTAKE STRUCTURES**

1. Introduction.....	81
2. Monitoring Requirements.....	81
3. Changes During Term of Permit.....	84
4. Intake Screen Wash.....	84
5. Fish Return Evaluation.....	84